

5.) Installing Nginx

- connect via ssh to your pi
- we create now a directory for nginx, a config.json file and a docker-compose.yml
- go to your dockerdata directory; here it ist /media/dockerdata
- type in:

```
cd /media/dockerdata
```

- type in:

```
sudo mkdir
```

- type in:

```
cd nginx
```

- type in:

```
nano docker-compose.yml
```

- paste in: but change the DB_MYSQL_PASSWORD

```
version: "3"
services:
  app:
    image: 'jc21/nginx-proxy-manager:latest'
    restart: always
    ports:
      # Public HTTP Port:
      - '80:80'
      # Public HTTPS Port:
      - '443:443'
      # Admin Web Port:
      - '81:81'
    environment:
      # These are the settings to access your db
```

```
DB_MYSQL_HOST: "db"
DB_MYSQL_PORT: 3306
DB_MYSQL_USER: "npm"
DB_MYSQL_PASSWORD: "npm"      # please change this
DB_MYSQL_NAME: "npm"
# If you would rather use Sqlite uncomment this
# and remove all DB_MYSQL_* lines above
# DB_SQLITE_FILE: "/data/database.sqlite"
# Uncomment this if IPv6 is not enabled on your host
# DISABLE_IPV6: 'true'
volumes:
  - ./data:/data
  - ./letsencrypt:/etc/letsencrypt
depends_on:
  - db
db:
  image: 'jc21/mariadb-aria:latest'
  restart: always
  environment:
    MYSQL_ROOT_PASSWORD: 'npm'
    MYSQL_DATABASE: 'npm'
    MYSQL_USER: 'npm'
    MYSQL_PASSWORD: 'npm'      # same as above
  volumes:
    - ./data/mysql:/var/lib/mysql
```

- paste in:

```
docker-compose up -d
```

- now you have access via webbrowser for your nginx proxy manager : <http://ip-adress-of-your-pi:81>

- on first login the credentials are

```
username: admin@example.com
passwrod: changeme
```

- create your hosts you need

For Apple Users:

You must add an additional line in your nginx config to avoid parsing errors

1.)

- edit your Nexcloud Proxy Host.

- go to advanced

[nginx-apple.png](#)

- type in:

```
proxy_hide_header Upgrade;
```

2.)

- connect via ssh to your pi

- type in:

```
sudo nano /etc/apache2/apache2.conf
```

- after this line : Header always set Strict-Transport-Security "max-age=15768000; includeSubDomains; preload"

- type in:

```
Header unset Upgrade
```

- save and exit (Strg+x, y, enter)

- reboot

Revision #16

Created 5 March 2021 23:53:08 by Jan

Updated 13 May 2022 21:49:23 by Jan